DS2902





Features:

- Superb chemical and corrosion resistance
- High output
- High bridge resistance
- Excellent linearity
- Low cost

- Low supply current
- High electrical isolation
- Excellent long term stability
- Small size
- Bridge balanced at zero applied pressure



19mm



34mm

Description:

The OEM pressure sensor is a high performance, cost effective solution available in standard ranges from 100mbar to 600bar. All ranges are available in gauge or absolute format. It is ideal for continuous use in applications where the pressure medium is wet and corrosive and long term stability is of prime importance.

Manufactured from high purity alumina ceramics, the OEM pressure sensor possesses superb chemical and abrasion resistance, making it unrivalled for use with virtually any pressure medium.

The diaphragm of the sensing element has a four active-armstrain gauge bridge fused to its inner face. This direct fusion ensures excellent long term stability and repeatability, which, coupled with the matched bridge network, provides excellent linear thermal characteristics.

Designed for your requirements:

INTERCONNECTIONS

- Customer wire lengths & preparation
- Ribbon Cables
- Headers / Sockets
- Custom pitch / pad layout
- Designed for your requirements
- Others, contact Sales

OUTPUT

- Zero & Span trim set points
- Ratiometric Voltage output
- Voltage output
- 4-20mA
- Temperature compensated
- Offset Zero available





Issue A 07/2018 Page 1

DS2902



P34X (34mm dia) OEM CERAMIC SENSOR

0.5 1.0 2.0 10 20 50 100 200 350 700 Sensor range (bar) 5.0 500 Thickness (mm normal) 7.3 7.3 7.3 7.4 7.4 7.8 8.3 8.3 8.3 9.0 9.5 10.0 Sensitivity mV/V ±30% 3.5 4.5 2.5 6.5 7.0 8.0 7.5 10.0 8.5 7.0 6.5 9.0

Burst pressure 3X sensor range minimum

Sensor diameter 33.70mm - 34.35mm

Supply Voltage 1 - 30Vdc

Operating Temperature -25°C to +125°C

NL&H (%FRO.BSL) $<\pm0.25$ ($<\pm0.1$ available)

TZS (%FRO/°C) $<\pm0.04\%$ Typical TSS (%FRO/°C) <-0.04 Typical Zero output laser trim $<\pm0.2$ mV/V Bridge resistance $10K\pm30\%$

Long Term Stability $<\pm 0.1\%/y@25^{\circ}C$ Material $96\% \text{ AL}_2 \text{ O}_3 \text{ ceramic}$


For "O" ring and mounting details see Drawing A

DS2902



CONNECTION DETAILS:

- 1. INPUT +
- 4. INPUT -
- 5. OUTPUT +
- 3. OUTPUT -



RING DETAILS

| RANGE | D RING | DIMENSION 'd' |
|---------------|------------------|------------------|
| UP TO 1 BAR | B2055 | 28.25 - 28.50 mm |
| 2 -20 BAR | B2050 | 25.15 -25.40 mm |
| 200 -300 BAR | BS014 | 15,35 - 15,60 mm |
| 500 - 700 BAR | CONSULT RM &C | |

DRAWING A

DS2902



P19X (19mm dia) OEM CERAMIC SENSOR

Sensor range (bar) 0.1 0.4 1.0 2.0 3 5 10 20 50 100 200 400 600 Thickness (mm normal) 6.2 6.2 6.2 6.3 6.4 6.4 6.5 6.6 6.8 7.3 7.8 8.6 9.5 Sensitivity mV/V ±30% 0.9 2.2 3.0 3.0 3.0 3.5 4.0 5.0 4.5 5.0 4.0 4.0 3.0

Burst pressure 3X sensor range minimum Sensor diameter 18.60mm - 19.00mm

Supply Voltage 1 - 30Vdc

Operating Temperature -25°C to +150°C

NL&H (%FRO.BSL) $<\pm 0.25$ ($<\pm 0.1$ available) TZS (%FRO/°C) $<\pm 0.04$ % Span / °C typical TSS (%FRO/°C) <-0.04 reading / °C typical

Zero output laser trim $<\pm 0.2$ mV/V Bridge resistance $10K \pm 30\%$

Long Term Stability <±0.1%/y@25°C

Material 96% AL₂ O₃ ceramic


For "O" ring and mounting details see Drawing B

DS2902



CONNECTION DETAILS:

- 1. INPUT +
- 3. INPUT -
- 2. OUTPUT +
- 4. OUTPUT -



RING DETAILS

| RANGE | SIZE | А | В |
|-------------|--------|-----------|-------------|
| 0.1-100 BAR | 12 × 2 | 1.35/1.45 | 16.10/15.95 |
| 200-600 BAR | 7 × 2 | 1.40/1.50 | 11.20/11.10 |

DRAWING B

DS2902



P15X (15mm dia) OEM CERAMIC SENSOR

Sensor range (bar) 0.4 1.0 2.0 3.0 4 5 10 20 50 150 200 Thickness (mm normal) 6.20 6.20 6.26 6.26 6.31 6.31 6.38 6.49 6.49 7.06 7.28 Sensitivity mV/V ±30% 1.3 3.7 2.8 4.3 4.5 3.4 4.2 4.8 6.4 5.4 5.4

Burst pressure 3X sensor range minimum

Sensor diameter 14.80mm - 15.00mm

Supply Voltage 1 - 30Vdc

Operating Temperature -25C° to +125°C

NL&H (%FRO.BSL) $<\pm0.25$ ($<\pm0.1$ available)


TZS (%FRO/°C) <±0.07

TSS (%FRO/°C) <-0.04 Typical Zero output laser trim $<\pm0.2$ mV/V Bridge resistance $10K \pm 30\%$

Long Term Stability $<\pm 0.1\%/y@25^{\circ}C$ Material $96\% \text{ AL}_2 \text{ O}_3$ ceramic For "O" ring and mounting details see Drawing C

CONNECTION DETAILS:

- 1. INPUT +
- 3. INPUT -
- 2. OUTPUT +
- 4. OUTPUT -



DRAWING C