

Material Composition for SX-4289A

Sub-component	Material	% of Total Mass	Substance Name	CAS #	Substance Mass (grams)	Special Classification
Housing	Fiber Reinforced PPA	25.71%	PPA	25776-72-1	1.52E+01	
			Glass Fibre	65997-17-3	7.49E+00	
Rear Lid	PBT	9.63%	PBT	26062-94-2	8.33E+00	
			Misc. Not to declare	N/A	1.70E-01	
Torque Array	PCB material	0.67%	Glass Fiber	65997-17-3	3.95E-01	
			Copper	7440-50-8	2.00E-02	
			Nickel	7440-02-0	5.55E-03	
			Gold	7440-57-5	2.31E-03	
			Epoxy resing	N/A	1.69E-01	
	CP Paste	0.23%	Secret Formula	N/A	2.00E-01	
Position Element	PCB material	6.92%	Glass Fiber	65997-17-3	4.16E+00	
			Copper	7440-50-8	1.15E-01	
			Nickel	7440-02-0	3.21E-02	
			Gold	7440-57-5	1.39E-02	
			Epoxy resing	N/A	1.78E+00	
	CP Paste	0.23%	Secret Formula	N/A	2.00E-01	
	Slip Ring Paste	0.23%	Secret Formula	N/A	2.00E-01	
Plasctic rotor	Glass Reinforced Nylon	14.95%	Glass Fiber	65997-17-3	1.32E+00	
			Nylon 6	25038-54-4	6.60E+00	
			Acrylonitrile, polymer with styrene	9003-54-7	2.77E+00	
			Poly-paraphenylene terephthalamid	26125-61-1	6.60E-01	
			Polytetrafluoroethylene	9002-84-0	1.32E+00	
	Misc. Not to declare	N/A	5.28E-01			
LH3 Rotor Plastic	Glass Reinforced Nylon	14.43%	Glass Fiber	65997-17-3	1.27E+00	
			Nylon 6	25038-54-4	6.37E+00	
			Acrylonitrile, polymer with styrene	9003-54-7	2.68E+00	
			Poly-paraphenylene terephthalamid	26125-61-1	6.37E-01	
			Polytetrafluoroethylene	9002-84-0	1.27E+00	
	Misc. Not to declare	N/A	5.10E-01			
Coupling	Stainless Steel	4.66%	Iron	7439-89-6	2.88E+00	
			Chromium	7440-47-3	7.41E-01	
			Nickel	7440-02-0	4.12E-01	
			Misc. Not to declare	N/A	8.23E-02	
Hog ring	Stainless Steel	1.35%	Iron	7439-89-6	8.36E-01	
			Chromium	7440-47-3	2.15E-01	
			Nickel	7440-02-0	1.19E-01	
			Misc. Not to declare	N/A	2.39E-02	
Grip Ring	Stainless Steel	1.35%	Iron	7439-89-6	8.36E-01	
			Chromium	7440-47-3	2.15E-01	
			Nickel	7440-02-0	1.43E-01	
Contact	Palladium Alloy	0.15%	Palladium	7440-05-3	8.27E-03	
			Nickel	7440-02-0	1.66E-02	
			Tin	7440-31-5	8.86E-03	
			Silver	7440-22-4	7.14E-03	
			Copper	7440-50-8	8.87E-02	
Wire harness	Wire	7.43%	Copper	7440-40-8	2.98E+00	
			Tin	7440-31-5	3.02E-01	
			Polyvinylchloride	9002-86-2	3.28E+00	
	Terminal pin	2.00%	Copper	7440-40-8	1.73E+00	
			Nickel	7440-02-0	1.76E-02	
			Tin	7723-31-5	8.82E-04	
	Machined terminal	1.57%	Phosphorus	7723-14-0	1.59E-02	
			Copper	7440-50-8	7.44E-01	
			Iron	7439-89-6	8.09E-04	
			Lead	7439-92-1	1.62E-01	RoHS exemption 6(c)
	Tin	7440-31-5	4.77E-01			
Connector	3.15%	Polypropylene	106565-43-9	2.78E+00		
Tubinf iraxx	Polyolefin resing	1.05%	Hydrogen	1333-74-0	9.01E-01	
			Carbon	7440-44-0	2.79E-02	
Teflon Wahser	Teflon	0.98%	PTFE	9002-84-0	8.65E-01	
Thermal potting c/Nylon		3.28%	Polyamide	32131-17-2	2.61E+00	
			Misc. Not to declare	N/A	2.90E-01	
Label	Polyester label	0.05%	Polyethylene tereohthalate	25038-59-9	4.00E-02	
Total mass					88.297	grams