

TT Electronics – BI Technologies

Circulo de la Amistad 102, Pimsa IV, 21229 Mexicali, B.C., México T: +52 686 564 1300

CUSTOMER EU REACH, UK REACH & JS709C STATEMENT

Original statement 9th June 2008, last updated on 13th July 2025 (EU REACH SVHC candidate list covering 250 substances)

To whom it may concern

TT Electronics - BI Technologies Mexicali is committed to meeting the requirements set out in the EU and UL REACH and low halogen regulations and we work with our suppliers to monitor impact on chemicals, preparations and articles supplied to us that are used to make our products.

Our variable resistor products do not fall into the category of articles 'with intent for release', therefore we do not need to provide our customers with any additional documentation and at present we do not anticipate any disruptions of product supplies to our customers.

All standard variable resistor products (including potentiometers, trimmers, encoders, steering sensors and turns counting dials) manufactured by TT Electronics - BI Technologies Mexicali, including associated packaging materials do not contain SVHCs in the Candidate List, or substances listed in Annex XIV or restricted within Annex XVII of the EU REACH regulations EC 1907/2006, nor within the corresponding lists and annexes of the UK REACH regulations SI 2020/1577, with the exception of products listed in Appendix A which contain Pb under RoHS exemptions.

All standard variable resistor products manufactured by TT Electronics - BI Technologies Mexicali meet the below requirements of JS709C for low halogen products:

- Contains <1000ppm Br within BFRs
- Contains <1000ppm Cl within CFRs, PVC, PVC congeners, PVC block polymers, PVC copolymers, or polymer alloys containing PVC
- Contains <900ppm Br and <900ppm Cl and <1500ppm total Br+Cl in printed board laminates

For further details on individual products, see the Compliance Tab of the information page for the relevant product on our website. Enter the relevant product type in the Product Data Search box at http://www.ttelectronics.com.

uis M. Ferre

Note that this declaration is made in good faith but the standard Terms and Conditions of TT Electronics take precedence over this declaration and no additional liability is accepted

Luis M Ferre, Quality Manager
TT Electronics - BI Technologies Mexicali
luis.ferre@ttelectronics.com

Additional information on Articles

An article is the legal term under REACH for any object that has been given a specific shape, surface or design so that it can be used for a specific purpose (e.g. manufactured goods such as cars, textiles, electronic chips). REACH requires all substances that are intended to be released from articles during normal and reasonably foreseeable conditions of use to be registered according to the normal rules, if they are produced or imported in quantities exceeding 1 tonne/year per producer or importer. Such notification is not required, however, when exposure to humans and environment can be excluded during normal conditions of use, including disposal, and this applies to all component and subassembly products manufactured by TT Electronics – BI Technologies.



Appendix A

The following product series may contain >0.1% w/w of Pb in a constituent article. Full material declarations are available online on the respective product information pages. Also, SCIP Declarations containing full details for key products are available at:

 $\label{lem:encoders:https://www.ttelectronics.com/TTElectronics/media/ProductFiles/Compliance/SCIP-Reporting-Declaration-Encoders.xlsx$

Potentiometers: https://www.ttelectronics.com/TTElectronics/media/ProductFiles/Compliance/SCIP-Reporting-Declaration-Potentiometers.xlsx

 $\label{thm:complex} \textbf{Trimmers:} \ \underline{\text{https://www.ttelectronics.com/TTElectronics/media/ProductFiles/Compliance/SCIP-Reporting-Declaration-Trimmers.xlsx}$

| Product Series | Pb contained | RoHS |
|-------------------------|---|------------|
| | | Exemption |
| 22x trimmer | Lead in cermet | 34 |
| 23x trimmer | Lead in cermet | 34 |
| 25x trimmer | Lead in cermet | 34 |
| 33xx potentiometer | Lead in copper alloy | 6(c) |
| 338x potentiometer | Lead in copper alloy | 6(c) |
| 35x trimmer | Lead in cermet | 34 |
| 36x trimmer | Lead in cermet | 34 |
| 37x trimmer | Lead in cermet | 34 |
| 43x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 44x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 45x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 53xx potentiometer | Lead in copper alloy | 6(c) |
| 56xx potentiometer | Lead in copper alloy | 6(c) |
| 6127 hall-effect sensor | Lead in copper alloy | 6(c) |
| 618x potentiometer | Lead in copper alloy | 6(c) |
| 61xx potentiometer | Lead in copper alloy | 6(c) |
| 62x trimmer | Lead oxide in glass | 7(c)-I |
| 63xx potentiometer | Lead in copper alloy | 6(c) |
| 64x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 66x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 66xx potentiometer | Lead in copper alloy | 6(c) |
| 67x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 68x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 72x trimmer | Lead in cermet | 34 |
| 72xx potentiometer | Lead in copper alloy | 6(c) |
| 73xx potentiometer | Lead in copper alloy | 6(c) |
| 74xx potentiometer | Lead in copper alloy | 6(c) |
| 76xx potentiometer | Lead in copper alloy | 6(c) |
| 78x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 81xx potentiometer | Lead in copper alloy | 6(c) |
| 82x trimmer | Lead in cermet | 34 |
| 83x trimmer | Lead in cermet | 34 |
| 84x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 89x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 90x trimmer | Lead in copper alloy & Lead in cermet | 6(c) & 34 |
| 91x trimmer | Lead in cermet | 34 |
| 93x trimmer | Lead in cermet | 34 |
| Ax potentiometer | Lead in copper alloy | 6(c) |
| Cx potentiometer | Lead in copper alloy | 6(c) |
| EN05 encoder | Lead in copper alloy | 6(c) |
| EN09 encoder | Lead in copper alloy | 6(c) |
| EN11 encoder | Lead in copper alloy Lead in aluminium alloy, Lead in copper alloy | 6(b), 6(c) |
| | | |
| EN12 encoder | Lead in copper alloy | 6(c) |





| LM1001 potentiometer | Lead in copper alloy | 6(c) |
|--------------------------|---|------------|
| P090x potentiometer | Lead in copper alloy | 6(c) |
| P120x potentiometer | Lead in copper alloy | 6(c) |
| P160x potentiometer | Lead in aluminium alloy, Lead in copper alloy | 6(b), 6(c) |
| P161x potentiometer | Lead in copper alloy | 6(c) |
| P162x potentiometer | Lead in copper alloy | 6(c) |
| P163x potentiometer | Lead in copper alloy | 6(c) |
| P230x potentiometer | Lead in copper alloy | 6(c) |
| P260x potentiometer | Lead in copper alloy | 6(c) |
| P261x potentiometer | Lead in copper alloy | 6(c) |
| P265x potentiometer | Lead in copper alloy | 6(c) |
| P271x potentiometer | Lead in copper alloy | 6(c) |
| P272x potentiometer | Lead in copper alloy | 6(c) |
| P278x potentiometer | Lead in copper alloy | 6(c) |
| PSL2 potentiometer | Lead in copper alloy | 6(c) |
| SX-4289A steering sensor | Lead in copper alloy | 6(c) |
| SX-4300A steering sensor | Lead in copper alloy | 6(c) |
| SX-4388A steering sensor | Lead in copper alloy | 6(c) |
| SX-4404A steering sensor | Lead in copper alloy | 6(c) |
| SX-4413A steering sensor | Lead in copper alloy | 6(c) |
| SX-4414A steering sensor | Lead in copper alloy | 6(c) |
| SX-4429A steering sensor | Lead in copper alloy | 6(c) |
| SX-4431A steering sensor | Lead in copper alloy | 6(c) |
| SX-4432A steering sensor | Lead in copper alloy | 6(c) |
| SX-4433A steering sensor | Lead in copper alloy | 6(c) |
| SX-4468 steering sensor | Lead in copper alloy | 6(c) |
| SX-4475A steering sensor | Lead in copper alloy | 6(c) |
| SX-4476A steering sensor | Lead in copper alloy | 6(c) |
| SX-4479A steering sensor | Lead in copper alloy | 6(c) |
| SX-4485 steering sensor | Lead in copper alloy | 6(c) |
| SX-4487A steering sensor | Lead in copper alloy | 6(c) |
| SX-4491A steering sensor | Lead in copper alloy | 6(c) |
| SX-4492 steering sensor | Lead in copper alloy | 6(c) |
| SX-4505 steering sensor | Lead in copper alloy | 6(c) |
| | | |